



Product Passport

Insulated

350ml

Specifications



Weight
0.28 kg



Dimensions
240 x 60 mm



Made in
Huizhou, CN



Production site
PMI Joinease





Material

18/8 Stainless steel

Zhangjiagang, CN
90% post-consumer recycled

Silicone (elastomer)

Huizhou, CN
Virgin material



**recycled
material**

**Tritan Renew
(copolyester)**

Kingsport, USA
50% post-consumer recycled

**Impact copolymer
(PP)**

Guangzhou, CN
Virgin material

Footprint*

* Calculations based on Ecochain Mobius
LCA conducted with GWP40 outoff.





Raw materials



Transport of materials



Production



Durability

Long-lasting: Use gentle detergents and dry thoroughly after cleaning.

Reliable: 5-year warranty for quality assurance.

Repairable: All components replaceable with spare parts.

Sustainable: Supports recycling through the Dopper takeback program.



Product Passport

Insulated

Powder-coated

350ml

Specifications



Weight
0.28 kg



Dimensions
240 x 60 mm



Made in
Huizhou, CN



Production site
PMI Joinease




Material

18/8 Stainless steel

Zhangjiagang, CN
90% post-consumer recycled

Silicone (elastomer)

Huizhou, CN
Virgin material



**recycled
material**

**Tritan Renew
(copolyester)**

Kingsport, USA
50% post-consumer recycled

**Impact copolymer
(PP)**

Guangzhou, CN
Virgin material

Footprint*

* Calculations based on Ecochain Mobius
LCA conducted with GWP40 outoff.





Raw materials



Transport of materials



Production



Durability

Long-lasting: Use gentle detergents and dry thoroughly after cleaning.

Reliable: 5-year warranty for quality assurance.

Repairable: All components replaceable with spare parts.

Sustainable: Supports recycling through the Dopper takeback program.

**Applies to the following
Dopper Insulated colours:**



This passport applies to items with production number 850 or higher.



Product Passport

Insulated

580ml

Specifications



Weight
0.38 kg



Dimensions
260 x 73 mm



Made in
Huizhou, CN




Production site
PMI Joinease



Material

18/8 Stainless steel
Zhangjiagang, CN
90% post-consumer recycled

Silicone (elastomer)
Huizhou, CN
Virgin material



**recycled
material**

**Tritan Renew
(copolyester)**

Kingsport, USA
50% post-consumer recycled

**Impact copolymer
(PP)**

Guangzhou, CN
Virgin material

Footprint*

* Calculations based on Ecochain Mobius
LCA conducted with GWP40 outoff.





Raw materials



Transport of materials



Production



Durability

Long-lasting: Use gentle detergents and dry thoroughly after cleaning.

Reliable: 5-year warranty for quality assurance.

Repairable: All components replaceable with spare parts.

Sustainable: Supports recycling through the Dopper takeback program.



Product Passport

Insulated

Powder-coated

580ml

Specifications



Weight
0.38 kg



Dimensions
260 x 73 mm



Made in
Huizhou, CN



Production site
PMI Joinease




Material

18/8 Stainless steel

Zhangjiagang, CN
90% post-consumer recycled

Silicone (elastomer)

Huizhou, CN
Virgin material



**recycled
material**

**Tritan Renew
(copolyester)**

Kingsport, USA
50% post-consumer recycled

**Impact copolymer
(PP)**

Guangzhou, CN
Virgin material

Footprint*

* Calculations based on Ecochain Mobius
LCA conducted with GWP40 outoff.





Raw materials



Transport of materials



Production



Durability

Long-lasting: Use gentle detergents and dry thoroughly after cleaning.

Reliable: 5-year warranty for quality assurance.

Repairable: All components replaceable with spare parts.

Sustainable: Supports recycling through the Dopper takeback program.

**Applies to the following
Dopper Insulated colours:**



This passport applies to items with production number 850 or higher.



Product Passport

Insulated

Powder-coated

1L

Specifications



Weight
0.49 kg



Dimensions
300 x 85 mm



Made in
Huizhou, CN



Production site
PMI Joinease




Material

18/8 Stainless steel

Zhangjiagang, CN
90% post-consumer recycled

Silicone (elastomer)

Huizhou, CN
Virgin material



**recycled
material**

**Tritan Renew
(copolyester)**

Kingsport, USA
50% post-consumer recycled

**Impact copolymer
(PP)**

Guangzhou, CN
Virgin material

Footprint*

* Calculations based on Ecochain Mobius
LCA conducted with GWP40 outoff.





Raw materials



Transport of materials



Production



Durability

Long-lasting: Use gentle detergents and dry thoroughly after cleaning.

Reliable: 5-year warranty for quality assurance.

Repairable: All components replaceable with spare parts.

Sustainable: Supports recycling through the Dopper takeback program.

**Applies to the following
Dopper Insulated colours:**



This passport applies to items with production number 850 or higher.